

**MOSER
PATTERSON &
SHERIDAN, LLP**

ATTORNEYS AT LAW

3040 Post Oak Blvd, Suite 1500
Houston, TX 77056-6582
TEL 713.623.4844
FAX 713.623.4846
www.MPSLLP.COM

FACSIMILE COVER SHEET

DATE: October 4, 2004 RECEIVED
CENTRAL FAX CENTER

FILE NO.: AMAT/5192/ISM/CORE/MCVD/PJS OCT 04 2004

TO: Examiner Toniae M. Thomas

FAX NO.: 703/872-9306

PHONE NO.: 571/272-1846

COMPANY: USPTO

FROM: Keith M. Tackett

PAGE(S) with cover: 9

ORIGINAL TO FOLLOW? YES NO

WEST AVAILABLE COPY

RESPONSE TO OFFICE ACTION DATED JUNE 4, 2004

TITLE: Formation of a Tantalum-Nitride Layer

U.S. SERIAL NO.: 09/776-329

FILING DATE: February 2, 2001

INVENTOR: Seutter, et al.

EXAMINER: Toniae M. Thomas

GROUP ART UNIT: 2822

CONFIRMATION NO.: 9575

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, LLP, which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

306974_1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.